

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	(stor\$3 or hold\$3 or contain\$3 or includ\$3) near6 ((legacy adj partition\$1) near3 (address\$2 or data or information or parameter\$1 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:22
L2	2	1 same (((nonvolatile or (non adj volatile)) adj memory) or ROM or EPROM or EEPROM or NVRAM or flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 14:42
L3	6	(stor\$3 or hold\$3 or contain\$3 or includ\$3) near6 ((legacy adj partition\$1) near3 (address\$2 or data or information or parameter\$1 or value\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:10
L4	4	3 same table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 14:44
L5	4	3 same (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:06
L6	59	(identif\$8 or determin\$5 or read\$3 or extract\$3) near6 ((disk near2 partition\$1) near3 (data or information or value\$1 or address\$2 or parameter\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:13
L7	9	6 same (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 14:47
L8	8	6 with (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 14:56
L9	2	(legacy near6 (non adj legacy)) near2 partition\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 14:58

## EAST Search History

L10	2	(non adj legacy) near2 partition\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:04
L11	221	((Cylinder adj Head adj Sector) or CHS) near6 ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:21
L12	7	11 same (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:14
L13	3	11 with (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:06
L14	0	11 same (different near6 (partition near2 (address\$2 or data or information or parameter\$1 or value\$1 or entr\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:11
L16	6	(stor\$3 or hold\$3 or contain\$3 or includ\$3) near6 ((legacy adj partition\$1) near3 (address\$2 or data or information or parameter\$1 or value\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:11
L17	2	11 same ((legacy adj partition\$1) near3 (address\$2 or data or information or parameter\$1 or value\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:11
L18	4	11 same (partition near2 (address\$2 or data or information or parameter\$1 or value\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:11
L19	99	11 same (identif\$8 or determin\$5 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:19
L20	35	11 with (identif\$8 or determin\$5 or detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:13

## EAST Search History

L21	3	19 same (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:24
L22	96	(identif\$8 or determin\$5 or detect\$3) near6 (partition near2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:31
L23	2	22 same (legacy or (non adj legacy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:45
L24	1	22 same (((Cylinder adj Head adj Sector) or CHS) near6 ((Logical adj Block adj Address\$3) or LBA))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:59
L25	1	22 same ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:54
L26	3	22 same ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:54
L27	13	22 same (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:33
L28	3	22 with (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:24
L29	176	(identif\$8 or determin\$5 or detect\$3 or recogniz\$3 or distinguish\$3 or read\$3 or check\$3) near6 (partition near2 type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:41
L30	30	29 same (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:53

## EAST Search History

L31	6	29 with (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:33
L32	268	(identif\$8 or determin\$5 or detect\$3 or recogniz\$3 or distinguish\$3 or read\$3 or check\$3) near6 (partition near2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:47
L33	0	32 same ((missing or absent or ("not" adj present) or lacking or omitted) near3 (partition adj table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:44
L34	1	32 same (missing or absent or ("not" adj present) or lacking or omitted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:44
L35	4	32 same (legacy or (non adj legacy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:45
L36	0	32 same (((Cylinder adj Head adj Sector) or CHS) near6 ((Logical adj Block adj Address\$3) or LBA))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:02
L37	0	(identif\$8 or determin\$5 or detect\$3 or recogniz\$3 or distinguish\$3 or read\$3 or check\$3) near6 ((missing or absent or ("not" adj present) or lacking or omitted) near3 (partition near2 address\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:47
L38	0	(identif\$8 or determin\$5 or detect\$3 or recogniz\$3 or distinguish\$3 or read\$3 or check\$3) near6 ((missing or absent or ("not" adj present) or lacking or omitted) near3 ((partition adj table) near2 (data or entr\$3 or information or parameter\$1 or value\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:49

## EAST Search History

L39	6765	(identif\$8 or determin\$5 or detect\$3 or recogniz\$3 or distinguish\$3 or read\$3 or check\$3) near6 ((missing or absent or ("not" adj present) or lacking or omitted) near3 (data or entr\$3 or information or parameter\$1 or value\$1 or address\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:50
L40	4	(identif\$8 or determin\$5 or detect\$3 or recogniz\$3 or distinguish\$3 or read\$3 or check\$3) near6 ((missing or absent or ("not" adj present) or lacking or omitted) near3 (partition near2 (data or entr\$3 or information or parameter\$1 or value\$1 or address\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:48
L41	0	39 same (partition adj table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:54
L42	453	39 same table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:54
L43	210	39 with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:54
L44	0	42 same ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:35
L46	2	42 same ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:36
L47	0	lagacy near2 ((master adj boot adj record) or MBR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:58
L48	2	((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM) near6 ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:25

## EAST Search History

L49	0	((different near3 ((operating adj system\$1) or OS\$1)) same (((Cylinder adj Head adj Sector) or CHS) near6 ((Logical adj Block adj Address\$3) or LBA))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:02
L50	4	((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM) same ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:03
L51	3	((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM) with ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:33
L52	2	("6192456").URPN.	USPAT	OR	OFF	2006/02/15 16:07
L53	9	("5270877"   "5418918"   "5430845"   "5630093"   "5680556"   "5694600"   "5905888"   "5951685"   "6000023").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/15 16:09
L54	6	((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM) same ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:15
L55	4	((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM) with ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:15
L56	4	(stor\$3 or hold\$3 or contain\$3 or includ\$3) near6 ((disk adj address\$3) near2 (scheme\$1 or format\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:24
L57	0	((disk adj address\$3) near2 (scheme\$1 or format\$1)) same ((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:39
L58	0	((disk near2 address\$3) near2 (scheme\$1 or format\$1)) same ((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:39
L59	11	((extensible adj firmware adj interface) or EFI) near3 ((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:33

## EAST Search History

L60	132	(read\$3 or execut\$3 or (carry\$3 adj out)) near6 ((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:35
L61	1	60 same ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:41
L62	3	60 same ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:41
L63	0	60 with ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:36
L64	50	(updat\$3 or refresh\$3) near6 (partition adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:38
L65	0	64 same ((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:49
L66	0	50 same ((disk near2 address\$3) near2 (scheme\$1 or format\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:40
L67	3	(identif\$8 or determin\$5 or detect\$3 or recogniz\$3 or distinguish\$3 or read\$3 or check\$3) near6 ((disk near2 address\$3) near2 (scheme\$1 or format\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:45
L68	0	67 same ((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:41
L69	0	67 same ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:49

## EAST Search History

L70	0	67 same ((Logical adj Block adj Address\$3) or LBA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:41
L71	11	("5459853"   "5610929"   "5617432"   "5627990"   "5724542"   "5734663"   "5862363"   "5951691"   "5968182"   "6009498"   "6505273").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/15 16:44
L72	0	(old or new) near6 ((disk near2 address\$3) near2 (scheme\$1 or format\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:46
L73	4	(old or new) same ((disk near2 address\$3) near2 (scheme\$1 or format\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:46
L74	0	(old or new) with ((disk near2 address\$3) near2 (scheme\$1 or format\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:46
L75	464	(identif\$8 or determin\$5 or detect\$3 or recogniz\$3 or distinguish\$3 or read\$3 or check\$3) near6 (block near2 disk near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:49
L76	453	(identif\$8 or determin\$5 or detect\$3 or recogniz\$3 or distinguish\$3 or read\$3) near6 (block near2 disk near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:49
L77	0	76 same ((Cylinder adj Head adj Sector) or CHS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:49
L78	0	76 same ((option adj ((read adj only adj memory) or ROM)) or (opt adj ROM) or OPTROM or OPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:49